FULL SIZE C/K LD PICKUPS

Model Symbol Chart 1
General Information ..... See Light Duty BBM "General Information" section
General Instructions ..... See Light Duty BBM "General Instruction" section
Camper Loading ..... See Online Order/Ref. Guide – "GM Consumer Info. Truck-Camper Loading"
Pickup Box Removal ..... See Light Duty BBM "Special Applications – Pickup Box Removal Program" section
Snow Plow Prep. Pkg. ..... See Light Duty BBM "Special Applications – Snow Plow Prep Package" section
Trailering Information ..... See Light Duty Online Order/Ref. Guide – "Light Duty Trailering Specs"
Model and Option Weights ..... See Light Duty Online Order/Ref. Guide – "Model and Opt. Weights" & "Weight Calculator"

Important please note;
In an effort to enhance market comparison specifications, GM Upfitter has integrated corresponding `BLUE BOOK' alpha-numeric codes into many of the dimensional metrics provided in this guide.

VEHICLE
- **GENERAL ARRANGEMENT**
  - **Regular Cab** 2
  - **Double Cab** 3
  - **Crew Cab** 4
- **Body/Cargo Weight Distribution – 6' 6"** 5
- **Body/Cargo Weight Distribution – 5' 8"** 6
- **Body/Cargo Weight Distribution – 8'** 7

BODY – EXTERIOR
- **GENERAL ARRANGEMENT**
  - **Regular Cab, 6' 6" Box – C/K 10703** 8
  - **Regular Cab, 8' Box – C/K 10903** 9
  - **Extended Cab, 6' 6" Box – C/K 10753** 10
  - **Crew Cab, 6' 6" Box – C/K 10743** 11
  - **Crew Cab, 5' 8" Box – C/K 10543** 12
- **FRONT END CLIPS**
  - **C/K 100 (03/53/43)** 13
- **HOOD OPENINGS**
  - **C/K 100 (03/53/43)** 14

BODY – EXTERIOR – *Continued*

SIGN AREA

Regular Cab – C/K 100/200/300 (03) 15

Extended Cab – C/K 100/200/300 (53) 16

Crew Cab – C/K 100/200/300 (43) 17

CAB STEP IN HEIGHTS

Regular Cab (03) 18

Extended Cab (53) 19

Crew Cab (43) 20

MIRRORS, OUTSIDE REARVIEW

C/K 1000, Option DLF and C/K 2000, Option DEZ 21

CAB CLEARANCE LAMPS, CHMSL AND REAR CAB WINDOW

Fixed and Sliding 22

CAB PRESSURE VALVE ASSEMBLY

Rear Quarter Body Panel 23

PICKUP BOX

Length and Width Dimension for 5' 8", 6' 6" and 8' 24

CAB – INTERIOR

SEATING ARRANGEMENT

Seating Positions and H Points 1st Row Front View, Pickups – C/K 100/200/300 (03/53/43) 25

Seating Positions and H Points 2nd Row Front View, Pickups – C/K 100/200/300 (03/53/43) 26

Seating Positions and H Points Side View, Pickups – C/K 100/200/300 (03/53/43) 27

SEAT MOUNTING HOLES LOCATIONS – FLOOR

C/K 100/200/300 (03/53/43) 28

FULL SIZE C/K LD PICKUPS

CHASSIS

DATUM HOLE LOCATION – FRAME

C/K 100 (00) 30

FRAME RAIL AND CROSSMEMBER LOCATION

C/K 10703 31

C/K 10903 32

C/K 10753 33

C/K 10743 34

C/K 10543 35

SPARE TIRE LOCATION

C/K 1000 Series Pickups 36

PLATFORM HITCH/GCWR

Pickups C/K 100 (03/53/43) 37

FRONT AXLE/TIRE DATA

Front Axle Tire Data Chart– C/K 10000 Pickups 38

Front Axle Tire Data Drawing – C/K 10000 Pickups 39

REAR AXLE/TIRE DATA

Rear Axle Tire Data Chart– C/K 10000 Pickups 40

Rear Axle Tire Data Drawing C/K 10000 Pickups 41

FUEL SYSTEMS

C/K 10703 42

C/K 10903 Pickup 43

C/K 10743, 10753 and C/K 10543 Pickups 44

EXHAUST SYSTEMS

C/K 100 (00) w/LV3 (4.3L V6) 45

C/K 100 (00) w/L83 (5.3L V6) 46

C/K 100 (00) L86 (6.2L V8) 47

CHASSIS – *Continued*

DIESEL FUEL SYSTEMS/DEF SYSTEMS

C/K 10743 Pickup.....48
C/K 10543 Pickup.....49
C/K 10753 Pickup.....50

FULL SIZE C/K LD PICKUPS

Model Symbol Chart

MODEL	REGULAR CABS (03) 2 DOOR CHEVROLET / GMC			DOUBLE CABS (53) 4 DOOR CHEVROLET / GMC			CREW CABS (43) 4 DOOR CHEVROLET / GMC		GVWR (kg/lbs)	WHEELBASE (mm/in)	CAB-TO-AXLE (mm/in)
C105							+ E63 5' 8" Box		3084/6800 3130/6900 3175/7000 3221/7100	3745/147.4	829/32.63
C107	+ E63 6' 6" Box								3084/6800	3213/126.4	1071/42.16
				+ E63 6' 9" Box					3084/6800 3130/6900 3221/7100	3745/147.4	1071/42.16
							+ E63 6' 9"Box		3084/6800 3130/6900 3175/7000 3221/7100	3987/156.9	1071/42.16
C109 C109 (ZW9)	+ E63 8' Box Chassis	ZW9							3084/6800	3545/139.5	1403/55.23
K105							+ E63 5' 8" Box		3130/6900 3175/7000 3220/7100 3266/7200 3311/7300	3745/147.4	827/32.63
K107	+ E63 6' 9" Box								3084/6800	3213/126.4	1071/42.16
				+ E63 6'9" Box					3130/6900 3175/7000 3220/7100 3311/7300	3745/147.4	1071/42.16
							+ E63 6' 9"Box		3130/6900 3175/7000 3220/7100 3266/7200 3311/7300	3987/156.9	1071/42.16
K109 K109 (ZW9)	+ E63 8' Box Chassis								3130/6900	3545/139.5	1403/55.23

E63 – Fleetside / Wideside Box (5' 8", 6' 9" and 8' Boxes)
ZW9 – Chassis Cab & Pick up w/Factory Box Delete ('Box Removal' APPROVED see "Special Applications")
EXAMPLE: C10903= 2 DOOR RE GULAR CAB / FLEETSIDE/WIDESIDE / 8' BOX

Revised Date: 06/30/2019

FULL SIZE C/K LD PICKUPS

Regular Cab – General Arrangement



GENERAL ARRANGEMENT C/K 10703,6'6" BOX, CHEVY XXXXXXXXX []=INCHES ANB32122.6

FULL SIZE C/K LD PICKUPS

Double Cab – General Arrangement



GENERAL ARRANGEMENT C/K 10743,6'5" BOX, CHEVY XXXXXXXXX []=INCHES ANB32122.8

FULL SIZE C/K LD PICKUPS

Crew Cab – General Arrangement



GENERAL ARRANGEMENT C/K 10753,6'5" BOX, CHEVY XXXXXXXXX []=INCHES ANB32122.7

FULL SIZE C/K LD PICKUPS

Body/Cargo Weight Distribution – Pickups – 6' 6"



					BODY / CARGO WEIGHT DISTRIBUTION	
MODEL	L101 (WB)	L404 (CA)	L504	L507	% FRONT AXLE	% REAR AXLE
CK 10703	3213 (126.4)	1071 (42.1)	25 (1.0)	2239 (88.1)	1	99
CK 10753	3745 (147.4)	1071 (42.1)	25 (1.0)	2239 (88.1)	1	99

NOTE:-DIMENSIONS SHOWN ARE NOMINAL.
L404 = CAB TO REAR AXLE DIMENSION
L504 = BODY CLEARANCE BETWEEN BODY AND CAB
L507 = BOX LENGTH
L101 = WHEEL BASE

$$\frac{\text{CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE.}}{\text{WHEEL BASE}} \text{ X 100 \% BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{\text{L404 - L504 - (L507/2)}}{\text{L101 (WB)}} \text{ X 100 \% BODY PAYLOAD AT FRONT AXLE}$$

BODY/CARGO WEIGHT DISTRIBUTION CK10703 53,6' 5" BOX []=INCHES ANC07766.3

FULL SIZE C/K LD PICKUPS

Body/Cargo Weight Distribution – Pickups – 5' 8"



MODEL	L101 (WB)	L404 (CA)	L504	L507	BODY / CARGO WEIGHT DISTRIBUTION % FRONT AXLE	BODY / CARGO WEIGHT DISTRIBUTION % REAR AXLE
CK 10543	3745 (147.4)	829 (32.6)	25 (1.0)	1997 (78.6)	-4	104

NOTE:-DIMENSIONS SHOWN ARE NOMINAL.
L404 = CAB TO REAR AXLE DIMENSION
L504 = BODY CLEARANCE BETWEEN BODY AND CAB
L507 = BODY (BOX) LENGTH
L101 = WHEEL BASE

$$\frac{\text{CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE.}}{\text{WHEEL BASE}} \times 100\ \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{\text{L404 - L504 - (L507/2)}}{\text{L101 (WB)}} \times 100\ \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

BODY/CARGO WEIGHT DISTRIBUTION CK10543,5'8" BOX []=INCHES ANC07766.3

FULL SIZE C/K LD PICKUPS

Body/Cargo Weight Distribution – Pickups – 8'



					BODY / CARGO WEIGHT DISTRIBUTION	
MODEL	L101 (WB)	L404 (CA)	L504	L507	% FRONT AXLE	% REAR AXLE
CK 10903	3545 (139.5)	1403 (55.2)	25 (1.0)	2715 (106.8)	3	97

NOTE:-DIMENSIONS SHOWN ARE NOMINAL.
L404 = CAB TO REAR AXLE DIMENSION
L504 = BODY CLEARANCE BETWEEN BODY AND CAB
L507 = BOX LENGTH
L101 = WHEEL BASE

$$\frac{\text{CENTER OF GRAVITY OF PAYLOAD TO REAR AXLE.}}{\text{WHEEL BASE}} \times 100\ \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{\text{L404 - L504 - (L507/2)}}{\text{L101 (WB)}} \times 100\ \%\ \text{BODY PAYLOAD AT FRONT AXLE}$$

BODY/CARGO WEIGHT DISTRIBUTION CK10903, 8'BOX []=INCHES ANC07766.3

FULL SIZE C/K LD PICKUPS

C/K 10703, Regular Cab 6' 6" Box – Body General Arrangement



GMT900 – GENERAL ARRANGEMENT CHEVY (REG CAB 6'6" PUBX)
CK10703 126.4" WHEELBASE 2019

FULL SIZE C/K LD PICKUPS

C/K 10903, Regular Cab 8' Box – Body General Arrangement



GMT900 – GENERAL ARRANGEMENT CHEVY (REG CAB 8' PUBX)
CK10903 139.5" WHEELBASE 2019

XXXXXXXXX

[]=INCHES

ANB70929.3

FULL SIZE C/K LD PICKUPS

C/K 10753, Extended Cab 6' 6" Box – Body General Arrangement



REAR VIEW



ALL DIMENSIONS SHOWN
FOR CHEVY BASED MODEL
UNLESS OTHERWISE NOTED



FRONT VIEW

SEE FRT END SHEET
METAL DRAWING

(CHEVY SHOWN)



GENERAL ARRANGEMENT CHEVY (DOUBLE CAB 6'6" PUBX)
CK 10753 147.4" WHEELBASE

XXXXXXXXX

[]=INCHES

ANB32122.7

FULL SIZE C/K LD PICKUPS

C/K 10743, Crew Cab 6'6" Box – Body General Arrangement



FULL SIZE C/K LD PICKUPS

C/K 10543, Crew Cab 5' 8" Box – Body General Arrangement



REAR VIEW





FRONT VIEW

SEE FRT END SHEET METAL DRAWING

(CHEVY SHOWN)



ALL DIMENSIONS SHOWN FOR CHEVY BASED MODEL UNLESS OTHERWISE NOTED

GENERAL ARRANGEMENT CHEVY (CREW CAB 5'8")
CK10543 147.4" WHEELBASE 2019

XXXXXXXXX

[]=INCHES

ANB70929.8

FULL SIZE C/K LD PICKUPS

C/K 100 (03/53/43) – Front End Clips





XXX: CHEVROLET C/K 100 03/43/53





XXX: GMC C/K 100 03/43/53

FULL SIZE C/K LD PICKUPS

C/K 100 (03/53/43) – Hood Openings



CK 100 034353 X88: CHEVROLET



CK 100 034353 Z88: GMC

CK 100200300 & X88/Z88 XXXXXX CB []=INCHES ANC48308.4

FULL SIZE C/K LD PICKUPS

Regular Cab Pickup – C/K 100/200/300 (03) – Sign Area



REGULAR CAB SIGN AREA X88 SHOWN XXXXXXX []=INCHES ANC41481.6

FULL SIZE C/K LD PICKUPS

Extended Cab Pickup – C/K 100/200/300 (53) – Sign Area



TRUCK DOUBLE CAB SIGN AREA X88 SHOWN XXXXXXX []=INCHES ANC41481.7

FULL SIZE C/K LD PICKUPS

Crew Cab Pickup – C/K 100/200/300 (43) – Sign Area



CREW CAB SIGN AREA X88 SHOWN XXXXXXX []=INCHES ANC41481.5

FULL SIZE C/K LD PICKUPS

Regular Cab (03) – Cab Step in Heights



MODEL	L101 (WB)	H130 -1	A106-1	A147	A106-2
CK 10703	3213 (126.4)	575 (22.6)	18.1	22.5	24.9
CK 10903	3545 (139.5)	573 (22.5)	18.4	20.7	21.9

STEP IN HEIGHT FOR CK100200300 03 BASE VEHICLE @ CURB XXXXXXX []=INCHES ANC10189.3

FULL SIZE C/K LD PICKUPS

Extended Cab (53) – Cab Step in Heights



MODEL	L101(WB)	H130-1	H130-2	A106-1	A147	A106-2
CK 10753	3745 (147.4)	568 (22.3)	575 (22.6)	18.4	19.3	24.1

*Completed Vehicle

STEP IN HEIGHT FOR CK100200300 53 BASE VEHICLE @ CURB XXXXXXX []=INCHES ANC10189.4

FULL SIZE C/K LD PICKUPS

Crew Cab (43) – Cab Step in Heights



MODEL	L101 (WB)	H130-1	H130-2	A106-1	A147	A106-2
CK 10543	3745 (147.4)	567 (22.3)	577 (22.7)	18.5	19.2	23.7
CK 10743	3987 (156.9)	564 (22.2)	574 (22.5)	18.2	17.9	23.8

*Completed Vehicle

STEP IN HEIGHT FOR CK100200300 43 BASE VEHICLE @ CURB XXXXXXX []=INCHES ANC10189.5

FULL SIZE C/K LD PICKUPS

C/K 1000, Option DLF and C/K 2000, Option DEZ – Mirrors, Outside Rearview



* CL8 CHEVY TRUCK 1500 SERIES



* CL8 GMC TRUCK 1500 SERIES

ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED

1000 2000 3000 SERIES TRUCK []=INCHES ANC22057.5

FULL SIZE C/K LD PICKUPS

Cab Clearance Lamps, CHMSL and Rear Cab Window – Fixed and Sliding



FULL SIZE C/K LD PICKUPS

Rear Quarter Body Panel – Cab Pressure Valve Assembly



CK 100200300 034353 XXXXXXXXX []=INCHES ANC27961.3

FULL SIZE C/K LD PICKUPS

Length and Width Dimension for 5' 8", 6' 6" and 8' – Pickup Box



SECTION A-A
(SCALE 1:2)



SECTION B-B
ROTATED
(SCALE 1:2)



VIEW IN CIRCLE B
(SCALE 1:2)



CONSTANT IN FRONT AND REAR OF W/H
SECTION C-C
ROTATED
(SCALE 1:2)



	L 404	L505	L506	L507
C/K 5.8 FT	829.0 [32.63]	1776.0 [69.92]	1725.0 [67.91]	2021.0 [79.56]
C/K 6.6 FT	1071.0 [42.16]	2018.0 [79.44]	1967.0 [77.44]	2263.0 [89.09]
C/K 8.0 FT	1403.0 [55.23]	2494.0 [98.18]	2443.0 [96.18]	2739.0 [107.83]

C/K 5'8",6'6"AND 8'0" PICKUP BOX

XXXXXXXXX

[]=INCHES

ANB70929.17

FULL SIZE C/K LD PICKUPS

Seating Positions and H Points 1st Row Front View, Pickups – C/K 100/200/300 (03/53/43)



FRONT SEAT 40/20/40
CK 100 034353

GENERAL ARRANGEMENT CHEVY CK100 []=INCHES ANC 32358.3

FULL SIZE C/K LD PICKUPS

Seating Positions and H Points 2nd Row Front View, Pickups – C/K 100/200/300 (03/53/43)



REAR SEAT 60/40
CK 034353

GENERAL ARRANGEMENT CHEVY CK100 []=INCHES ANC 32358.4

Seating Positions and H Points Side View, Pickups – C/K 100/200/300 (03/53/43)



CK100 53 SHOWN



CK 100 43 SHOWN

GENERAL ARRANGEMENT CHEVY CK100 []=INCHES ANC 32358.5

C/K 100/200/300 (03/53) – Seat Mounting Holes Locations – Floor



C/K 100 03/53 SEAT MOUNT LOCATIONS

[]=INCHES

ANB51264.3

TBD

C/K 100 (00) – Datum Hole Location



GMT CK 100 FRAME DATUM LOCATION XXXXXXXXX [ ]=INCHES ANC30752.3

C/K 10703 – Frame Rail and Crossmember Locations



C/K 10903 – Frame Rail and Crossmember Locations



C/K 10903 2016 XXXXXXXXX []=INCHES ANB34864.7

FULL SIZE C/K LD PICKUPS

C/K 10753 – Frame Rail and Crossmember Locations



FULL SIZE C/K LD PICKUPS

C/K 10743 – Frame Rail and Crossmember Locations



C/K 10743 2016 XXXXXXXXX []=INCHES ANB34864.13

C/K 10543 – Frame Rail and Crossmember Locations



C/K 10543 2016 XXXXXXXXX []=INCHES ANB34864.17

C/K 1000 Series Pickup – Spare Tire Location



SPARE TIRE TRUCKS 1000 SERIES XXXXXXX []=INCHES ANC39360.4

Pickups C/K 100 (03/53/43) – Platform Hitch/GCWR

2019 VEHICLE W / TRAILER RATING

ENGINE	GCWR	GVWR-RPO
2.7L(L3B)	12,000 LBS	C5U, C5H, C5W
4.3L(LV3)	12,800 LBS	C5U, C5H, C5W, C3J
5.3L(L82)	15,000 LBS	C5U, C5H, C5W, C5Y
5.3L(L82)	14,000 LBS	C3J
5.3L(L84)	15,000 LBS	C5U, C5H, C5W
5.3L(L84)	16,800 LBS	C5Y, C6A
6.2L(L87)	15,000 LBS	C5W, C5Y, C5H
6.2L(L87)	17,800 LBS	C6A
3.0L(LM2)	13,000 LBS	C5H, C5W, C5Y
3.0L(LM2)	15,000 LBS	C5Y,C5Z



C/K 100 03/43/53 XXXXXXXXX []=INCHES ANB84248.3

Front Axle Tire Data Drawing – C/K 1000 Pickups



VYU = SNOW PLOW

Z83 = CHASSIS PACKAGE SOLID SMOOTH RIDE

Z85 = CHASSIS PACKAGE INCREASED CAPACITY

E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX

Z71 = CHASSIS PACKAGE OFF ROAD

ZW7 = CHASSIS PACKAGE PREMIUM SMOOTH RIDE

•MINIMUM GROUND CLEARANCE TO BE CALCULATED BY USING GROSS AXLE WEIGHT AND RECOMMENDED TIRE PRESURE

[ ]= INCHES

1000 SERIES/TRUCK FRONT AXLE/TIRE DATA

ANB46140.13

FULL SIZE C/K LD PICKUPS

Front Axle Tire Data Chart – C/K10000 Pickups

SERIES	Tire RPOs	SLR	WHEEL/AXLE				TIRE			H148-1 Ground Clearance
			Size	Offset	W102-1 Track	W101-1 Tread Width	Size	Max Width	Max GVWR	
C10543	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	7100	232
C10753	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	7100	228
C10743	RKX,RBX,RI8	382	17x8	24	1745	2031	P255/70R17	286	7100	230
C10703	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	6800	233
C10903	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	6800	233
K10543	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	7300	233
K10753	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	7300	233
K10743	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	7300	231
K10703	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	6800	235
K10903	RBZ,RC3,RC5	382	17x8	24	1745	2031	P255/70R17	286	6900	234
C10543	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	7100	232
C10753	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	7100	228
C10743	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	7100	230
C10703	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	6800	233
C10903	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	6800	233
K10543	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	7300	233
K10753	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	7300	233
K10743	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	7300	231
K10703	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	6800	235
K10903	RKX,RBX,RI8	382	18x8.5	26	1741	2032	P265/65R18	291	6900	234

FULL SIZE C/K LD PICKUPS

Rear Axle Tire Data Drawing – C/K 1000 Pickups





SECTION B-B
ROTATED 90

VYU = SNOW PLOW.

Z83 = CHASSIS PACKAGE SOLID SMOOTH RIDE.

Z85 = CHASSIS PACKAGE INCREASED CAPACITY.

E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX.

Z71 = CHASSIS PACKAGE OFF ROAD.

* MAX GROWN TIRE RADIUS ON NARROWEST RIM.

** MAX GROWN TIRE WIDTH ON WIDEST RIM
TIRE CHAINS NOT INCLUDED.

1000 SERIES TRUCK REAR AXLE/TIRE DATA 1000 SERIES

XXXXXXXXX

[]=INCHES

ANB46140.5

Full Size C/K LD Pickups

Rear Axle Tire Data Chart - C/K10000 Pickups

SERIES	Tire RPOs	SLR	WHEEL/AXLE					TIRE			GROUND			JOUNCE		
			Size	Offset	W102-2 Track	W101-2 Max Tread Width	B	Size	F Max Width	Max GVWR	H148-2	H156	HE	C	D	E
C10543	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	7100	220	200	---	TBD	TBD	412
C10753	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	7100	220	200	---	TBD	TBD	412
C10743	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	7100	221	197	---	TBD	TBD	412
C10703	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	6800	220	200	---	TBD	TBD	412
C10903	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	6800	221	201	734	TBD	TBD	412
K10543	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	7300	220	205	---	TBD	TBD	412
K10753	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	7300	220	205	---	TBD	TBD	412
K10743	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	7300	221	202	---	TBD	TBD	412
K10703	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	6800	220	210	---	TBD	TBD	412
K10903	RBZ,RC3,RC5	390	17x8	24	1736	2022	1450	P255/70R17	286	6900	220	206	733	TBD	TBD	412
C10543	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	7100	220	200	---	TBD	TBD	408
C10753	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	7100	220	200	---	TBD	TBD	408
C10743	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	7100	221	197	---	TBD	TBD	408
C10703	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	6800	220	200	---	TBD	TBD	408
C10903	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	6800	221	201	740	TBD	TBD	408
K10543	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	7300	220	205	---	TBD	TBD	408
K10753	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	7300	220	205	---	TBD	TBD	408
K10743	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	7300	221	202	---	TBD	TBD	408
K10703	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	6800	220	210	---	TBD	TBD	408
K10903	RKX,RBX,RI8	390	18x8.5	26	1732	2023	1441	P265/65R18	291	6900	220	206	739	TBD	TBD	408

HE - Rear 'Top of Frame' Max Curb (Base Equipment)
SLR - C/L Rear Axle at EPA (Avg. of MIN/MAX CURB (Base Equipment))

C/K 10703 – Gas Fuel Systems



24 GALLON FUEL TANK
C/K 10703

XXXXXXXXX

[]=INCHES

ANB49354.

FULL SIZE C/K LD PICKUPS

C/K 10903 – Gas Fuel Systems



C/K 10743, 10753 and C/K 10543 Pickup – Gas Fuel Systems



24 GALLON FUEL TANK
C/K 10753 & CK10743

XXXXXXXXX

[]=INCHES

ANB49354.8

C/K 100 (00) w/LV3 (4.3L V6) – Exhaust Systems



MODEL	L 101
CK 10703	3213.0 [126.4]
CK 10903	3545.0 [139.5]
CK 10543	3745.0 [147.4]
CK 10743	3987.0 [156.9]
CK 10753	3745.0 [147.4]

SHOWN

EXHAUST SYSTEM LV3 (4.3L)
NU1.NU5.NT7: CK100/00 LD

XXXXXXXXX

[]=INCHES

ANF65340.9

FULL SIZE C/K LD PICKUPS

C/K 100 (00) w/L83 & (5.3L V-8) – Exhaust Systems



MODEL	L 101
CK 10703	3213.0 [126.4]
CK 10903	3545.0 [139.5]
CK 10543	3745.0 [147.4]
CK 10743	3987.0 [156.9]
CK 10753	3745.0 [147.4]

SHOWN

EXHAUST SYSTEM L83 (5.3L)
NU1.NU5.NT7: CK100/00 LD

XXXXXXXXX

[]=INCHES

ANF65340.11

FULL SIZE C/K LD PICKUPS

C/K 100 (00) w/L87 (6.2L V-8) – Exhaust Systems



MODEL	L 101
CK 10543	3745.0 [147.4]
CK 10743	3987.0 [156.9]
CK 10753	3745.0 [147.4]

EXHAUST SYSTEM L87(6.2L)
NU1.NU5.NT7: CK 100/00 LD

XXXXXXXXX

[]=INCHES

ANF65340.12

C/K 10743 Pickup – Diesel Fuel/DEF Systems



22 GALLON FUEL TANK/5.3 GALLON DEF TANK

CK10743 XXXXXXXXX []=INCHES ANB49354.XX

FULL SIZE C/K LD PICKUPS

C/K 10543 Pickup – Diesel Fuel/DEF Systems



22 GALLON FUEL TANK/5.3 GALLON DEF TANK

CK10543 XXXXXXXXX []=INCHES ANB49354.XX

C/K 10753 Pickup – Diesel Fuel/DEF Systems



22 GALLON FUEL TANK/5.3 GALLON DEF TANK

C/K 10753 XXXXXXXXX []=INCHES ANB49354.XX